

CATCH DRAINS & PERIMETER BANKS
ALLOW FOR DIVERSION OF UP SLOPE STORM WATER AROUND THE WORK SITE & OTHER DISTURBED SURFACES. IT SHOULD PASS CLEANLY & SAFELY THROUGH THE SITE.

MINIMIZE DISTURBANCE WHEN EXCAVATING
PRESERVE AS MUCH NATURAL VEGETATION AS POSSIBLE. THESE AREAS NOT ONLY IMPROVE THE APPEARANCE OF YOUR SITE, BUT THEY ALSO FILTER MUCH OF THE SEDIMENT FROM STORM WATER RUN-OFF BEFORE IT REACHES THE DRAINAGE SYSTEM.

LITTER, BUILDING WASTE & PORTABLE TOILETS
ALL HARD WASTE & LITTER MUST BE STORED ON-SITE IN A WAY TO PREVENT ANY MATERIALS FROM ENTERING THE CITY STREETS, SIDEWALKS OR STORM WATER FACILITIES BY WIND OR WATER ACTION. PORTABLE TOILETS SHOULD NOT BE LOCATED NEAR DRAINAGE FACILITIES, WATER BODIES, OR IN AREAS THAT WILL COLLECT WATER.

CONCRETE WASTE & WASHING
CONCRETE WASTE, HOUSEHOLD PAINTS, SHEET ROCK, MUD, STUCCO, ETC. SHALL BE DISPOSED IN A WASHOUT AREA. ALLOW ALL WASTE TO DRY & THEN DISPOSE OF AS SOLID WASTE.

SEDIMENT BARRIERS
SEDIMENT BARRIERS DOWN SLOPE OF THE BUILDING SITE SHOULD FILTER SEDIMENT BEFORE IT CAN WASH INTO GUTTERS, DRAINS & WATERWAYS. STRAW WADDLES, SILT FENCE, DIVERSION DITCHES, ETC. ARE A FEW EXAMPLES OF SEDIMENT BARRIERS.

STABILIZE STOCKPILE
STOCKPILES SHOULD BE PLACED ENTIRELY ON THE CONSTRUCTION SITE AND BEHIND A SEDIMENT BARRIER. COVER ALL STOCKPILE AREAS IF INACTIVE FOR MORE THAN A WEEK.

INLET PROTECTION
PROTECT INLETS (CULVERTS, DITCHES, STORM DRAINS, & WATERWAYS) FROM MUDDY RUNOFF THAT COULD FLOW INTO THEM.

SWEEPING THE ROAD
ANY SEDIMENT WHICH ACCUMULATES IN THE RIGHT-OF-WAY SHALL BE CLEANED UP & REMOVED. **DO NOT HOSE SEDIMENT DOWN STORM WATER DRAINS OR DOWN THE CURB & GUTTER.**

STABILIZED CONSTRUCTION ENTRANCE
MINIMIZE VEHICLE TRACKING OF DIRT/MUD FROM THE CONSTRUCTION SITE BY PLACING A MIN. OF 6" OF AGGREGATE BASE AT THE ACCESS POINT. THIS WILL ALLOW ALL WEATHER ACCESS, WILL REDUCE THE AMOUNT OF SOIL CARRIED OFF THE SITE BY VEHICLES, & WILL PROVIDE A PERMANENT BASE FOR THE DRIVEWAY.

DUST CONTROL

REASONABLE CONTROL METHODS SHALL BE USED FOR DUST CONTROL OVER STOCK PILES & DISTURBED AREAS. CARE SHOULD BE TAKEN WHEN APPLYING WATER OR LIQUID SUBSTANCES TO PREVENT THE WASHING OF SEDIMENT OFFSITE OR INTO STORM DRAINS OR WATER BODIES.

ADDITIONAL INFORMATION

FOR ADDITIONAL INFORMATION AND CLARIFICATION PLEASE CONTACT PUBLIC WORKS AT (208) 237-2430

REQUIRED INFORMATION

CERTIFIED PERSON: _____
 CERTIFICATION NO.: _____ DATE: _____
 COMPANY: _____
 TELEPHONE NO. _____

I, _____ (PRINT) ACKNOWLEDGE THAT I HAVE REVIEWED AND UNDERSTAND THIS PLAN AND THAT I AM REQUIRED TO IMPLEMENT THIS PLAN AS CLOSELY AS POSSIBLE ON MY PROJECT SITE. I AGREE TO MAKE MODIFICATIONS (INCLUDING MAINTENANCE) TO THIS PLAN TO INSURE THAT RUNOFF PASSES CLEANLY & SAFELY THROUGH MY SITE TO THE BEST OF MY ABILITY AS WELL AS CONTROL ANY MATERIALS THAT COULD LEAVE MY SITE. I ALSO UNDERSTAND THAT I COULD BE CITED FOR NOT COMPLYING WITH THIS PLAN.

 RESPONSIBLE PARTY(SIGNATURE)

CONTRACTOR MUST REQUEST AN INITIAL & FINAL INSPECTION FOR EROSION CONTROL MEASURES. REQUEST AN ESC INSPECTION PRIOR TO BEGINNING GRADING OR EXCAVATION & FOR FINAL @ C.O. CALL 208-237-2430.